

MICHELIN® AIR X® GENERAL AVIATION RADIAL AIRCRAFT TIRES

Size	Ply Rating	Speed (MPH)	Part Number	Brand	TL/TT	Special	Average Wt. (lbs.)	Pallet Ord. Qty	Applications
14.5x5.5R6		225	M08301	Michelin® Air X®	TL	CH	8	54	Falcon 20, 50, 200, 2000 (NLG)
14.5x5.5R6		225	M15201-01	Michelin® Air X®	TL	CH	8	54	Falcon 2000EX (NLG)
16x4.4R8	10	210	M15601	Michelin® Air X®	TL	CH	10	30	Cessna Sovereign, Citation X (NLG) - Gulfstream G150 (NLG)
16x4.4R8	12	190	M16201	Michelin® Air X®	TL		10	30	Pilatus PC21 (NLG)
16x6.0R6	12	225	M17201	Michelin® Air X®	TL	CH	11	36	Falcon F7X (NLG)
17.5x5.75R8		225	M13301	Michelin® Air X®	TL	CH	11	30	Falcon 900 (NLG)
18x5.5R8	8	160	M16901	Michelin® Air X®	TL		10	36	Eclipse 500 (MLG)
20x4.4R12	14	190	M16301	Michelin® Air X®	TL		14	36	Pilatus PC21 (MLG)
23.5x8.0R12	14	190	M13702	Michelin® Air X®	TL		24	20	Cessna Citation Excel, XLS (MLG)
26x6.6R14	14	225	M15101-01	Michelin® Air X®	TL		22	20	Falcon 20, 50, 200, 2000, 2000EX, Gulfstream G200 (MLG)
26x6.6R14	12	210	M14401	Michelin® Air X®	TL		24	20	Cessna Sovereign, Citation X (MLG)
26x6.6R14	14	225	M08401	Michelin® Air X®	TL		22	20	Hawker 4000 (MLG)
29x7.7R15		225	M06201	Michelin® Air X®	TL		31	25	Falcon 900 (MLG)
H32x10.5R16.5	16	225	M18901	Michelin® Air X®	TL		44	10	Falcon F7X (MLG)

MICHELIN® AIR™ & AVIATOR® GENERAL AVIATION BIAS AIRCRAFT TIRES

Size	Ply Rating	Speed (MPH)	Part Number	Brand	TL/TT	Special	Average Wt. (lbs.)	Pallet Ord. Qty	Applications
11.00-12	10	160	021-355-0	Michelin® Aviator®	TL		46	6	IAI 201, Bombardier DHC6, Casa 212, 235 (MLG)
11.00-12	8	160	021-354-2*	Michelin® Aviator®	TL		46	6	Beech 18, Bombardier DHC6, Pilatus PC6, PC12 (MLG)
15x6.0-6	6	160	061-501-0	Michelin® Aviator®	TT		7	45	Beech 17, 24, Baron 58, 60, 77 - Bellanca 1730, 1731 - Cessna 172, 177, 182RG (MLG) - Cessna 336, 337 - Rockwell Int'l 695, 700, 840 (NLG)
15x6.0-6	6	160	070-449-0	Michelin® Air™	TT		7	45	Cessna 172, 177, 182 - Cirrus SR20, SR22 (MLG) - Cessna 336, 337 (NLG)
16x4.4	8	160	021-606-0	Michelin® Aviator®	TL		9	56	Raytheon T6A Texan - Pilatus PC9 - Embraer Xingu - Fairchild SA226 (NLG)
16x4.4	8	160	079-606-0	Michelin® Air™	TL	CHDU	9	56	Cessna Mustang (NLG)
17.5x5.75-8	12	210	038-627-0	Michelin® Aviator®	TL		14	36	Learjet 20, 31, 35, 36 (MLG)
17.5x6.25-6	10	120	061-326-0	Michelin® Air™	TT		11	30	Piper PA31, 42 (NLG)
17.5x6.25-6	8	160	021-327-0	Michelin® Air™	TL		11	30	Pilatus PC-12 (NLG)
18x4.25-10	6	210	031-595-0	Michelin® Air™	TL	CH	11	30	Hawker 700, 800, 800XP, 1000 (NLG)
18x4.4	12	210	027-614-0	Michelin® Air™	TL	CH	13	42	Hawker 4000 (NLG)
18x4.4	10	210	031-613-8	Michelin® Air™	TL	CHDU	12	42	Hawker Beechjet 400A - Cessna CJ2+, CJ3, Citation I, II, III, V, VI, VII, Bravo, Encore, Encore+, Excel, XLS (NLG) - Learjet 40, 45
18x4.4	12	210	031-614-0	Michelin® Air™	TL	CH	13	42	Bombardier Challenger 600, 601, 604 (NLG)
18x4.4	10	210	031-613-4	Michelin® Air™	TL	CH	13	42	Gulfstream G200 (NLG)
18x4.4	10	210	031-613-5	Michelin® Air™	TL	CHDU	12	42	Learjet 31, 35, 36, 55, (NLG)
18x4.4	6	190	030-611-0	Michelin® Air™	TL	CHDU	13	42	Cessna CJ, CJ1, CJ1+, CJ2 (NLG)

* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.



MICHELIN® AIR™ & AVIATOR® GENERAL AVIATION BIAS AIRCRAFT TIRES

Size	Ply Rating	Speed (MPH)	Part Number	Brand	TL/TT	Special	Average Wt. (lbs.)	Pallet Ord. Qty	Applications
18x4.4	10	190	031-613-2	Michelin® Air™	TL	CHDU	12	42	Cessna Citation III, VI, VII (NLG) * Citation III over 20,000 lbs MTOW
18x4.4	6	190	019-611-0	Michelin® Air™	TL	CHDU	9	42	Hawker Premier 1 (NLG)
18x4.4	6	160	021-611-0	Michelin® Aviator®	TL		8	42	Fairchild SA226, 227, Piper PA31 (NLG)
18x5.5	10	210	033-631-0	Michelin® Air™	TL		14	36	Beech King Air 200, 55 (MLG) - Socata TBM 700, 850 (MLG)
18x5.5	8	190	028-630-0	Michelin® Aviator®	TL		12	36	Beech King Air 200, 99, 100 - Cessna 337 -Socata TBM700 (MLG) - Bombardier DHC8 - Embraer EMB120, Fairchild SA226 (NLG)
19.5x6.75-8	10	160	021-335-1	Michelin® Aviator®	TL		14	30	Beech King Air 300, Baron 58, 60 - Fairchild SA226, 227 (MLG)
19.5x6.75-8	10	190	026-335-1	Michelin® Aviator®	TL		17	30	Beech 1900, C, D (NLG)
19.5x6.75-8	10	160	061-335-1	Michelin® Aviator®	TT		14	30	Beech King Air 300, Baron 58, 60 (MLG)
20x4.4	8	160	028-619-0	Michelin® Aviator®	TL		13	36	Pilatus PC9 (MLG)
21x7.25-10	10	210	031-506-1	Michelin® Air™		CH	19	20	Gulfstream II, III, IV (NLG)
22x5.75-12	10	190	026-520-0	Michelin® Air™	TL		20	20	Cessna Citation III, VI, VII (MLG) - Falcon 10 (MLG)
22x6.75-10	10	190	026-524-0	Michelin® Air™	TL		18	30	Beech King Air 200 (NLG), Beech 1900D (MLG), IJT36 (MLG)
22x6.75-10	8	160	021-523-0	Michelin® Aviator®	TL		16	20	Beech 1900C (MLG), King Air 300 & 200 (NLG) - Tucano S312 (MLG) - Cessna Mustang (MLG)
22x7.75-10	12	190	026-528-0	Michelin® Air™	TL		20	20	Cessna CJ, CJ1, CJ1+, CJ2, CJ2+ (MLG)
22x7.75-10	10	160	021-527-0	Michelin® Air™	TL		19	20	Cessna 404 Titan, 441 Conquest II (MLG)
22x8.0-10	12	190	028-700-0	Michelin® Aviator®	TL		27	24	Cessna Citation SII, V, Ultra (MLG)
22x8.0-10	10	190	028-699-1	Michelin® Aviator®	TL		24	24	Cessna Citation I (MLG)
22x8.0-10	12	190	026-700-0	Michelin® Air™	TL		30	24	Cessna Citation V (MLG)
22x8.0-8	8	120	024-560-0	Michelin® Air™	TL		14	20	Cessna 208 (NLG)
23x7.0-12	12	210	033-504-0	Michelin® Air™	TL		26	20	Hawker 800, 800XP, 1000 (MLG)
23x7.0-12	12	210	027-504-0	Michelin® Air™	TL		27	20	Gulfstream G150 (MLG)
24x7.7	14	210	038-675-2	Michelin® Air™	TL		26	20	Hawker Beechjet 400A - Mitsubishi MU-300 (MLG)
29x11.0-10	10	160	076-446-1	Michelin® Air™	TL		35	10	Cessna 208 (MLG)
29x11.0-10	10	160	077-446-1*	Michelin® Aviator®	TL		31	10	Cessna 208 (MLG)
34x9.25-16	18	210	033-841-0	Michelin® Air™	TL		72	8	Gulfstream II, IIB, III, IV (MLG)
380x150-5 15x6.00-5	6	120	070-544-0	Michelin® Air™	TT		7	45	Robin
5.00-5	8	160	070-310-0	Michelin® Air™	TL		6	54	Eclipse 500 (NLG)
5.00-5	6	120	071-312-0	Michelin® Aviator®	TT		6	54	
5.00-5	6	120	070-312-0	Michelin® Air™	TT		6	54	Cirrus SR20, SR22 (NLG)
5.00-5	10	120	071-311-0	Michelin® Aviator®	TT/TL		6	54	
5.00-5	8	160	021-310-0	Michelin® Aviator®	TL		7	54	Eurocopter Tigre (TLG)
5.00-5	4	120	070-308-0	Michelin® Air™	TT		6	54	
6.00-6	8	160	061-317-1*	Michelin® Aviator®	TT		9	42	Pilatus PC7 (NLG)
6.00-6	6	120	070-314-0	Michelin® Air™	TT		9	42	
6.00-6	6	120	071-314-0	Michelin® Aviator®	TT		9	42	
6.00-6	8	120	070-317-0	Michelin® Air™	TT		9	42	

* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.



MICHELIN® AIR™ & AVIATOR® GENERAL AVIATION BIAS AIRCRAFT TIRES

Size	Ply Rating	Speed (MPH)	Part Number	Brand	TL/TT	Special	Average Wt. (lbs.)	Pallet Ord. Qty	Applications
6.00-6	8	120	071-317-0	Michelin® Aviator®	TT		9	42	
6.00-6	8	160	021-317-1	Michelin® Aviator®	TT/TL		9	42	Jetstream 31; Pilatus PC7 (NLG)
6.00-6	4	120	070-315-0	Michelin® Air™	TT		9	42	
6.00-6	6	160	061-316-1	Michelin® Aviator®	TT		9	135	
6.00-6	4	120	071-315-0	Michelin® Aviator®	TT		9	42	
6.00-6	8	160	070-317-1	Michelin® Air™	TT		9	138	
6.50-10	12	190	028-357-0	Michelin® Aviator®	TL		18	24	Piaggio P180, Piper PA-31 (MLG)
6.50-10	8	120	076-345-0	Michelin® Air™	TL		16	20	Cessna 208, 310, 335, 401, 402, 414, 421, 425, Piper PA-30, 31 (MLG)
6.50-10	8	120	077-345-0	Michelin® Aviator®	TL		16	20	Cessna 208, 310, 335, 401, 402, 414, 421, 425, Piper PA-30, 31 (MLG)
6.50-10	10	120	077-356-0	Michelin® Aviator®	TL		16	20	Cessna 425 Conquest I (MLG)
6.50-10	6	120	076-367-0	Michelin® Air™	TL		16	24	Beech King Air 90 (NLG)
6.50-10	12	160	021-357-1	Michelin® Aviator®	TT/TL		17	20	Piper PA-42 (MLG)
6.50-10	6	120	077-367-0	Michelin® Aviator®	TL		16	24	Beech King Air C90 (NLG)
6.50-10	10	120	076-356-0	Michelin® Air™	TL		16	20	Cessna 425 Conquest I (MLG)
6.50-10	10	160	021-356-1	Michelin® Aviator®	TT/TL		16	20	Bombardier CL215, 415 (NLG), Cessna 208 (MLG)
6.50-10	10	160	076-356-1*	Michelin® Air™	TT/TL		16	20	
6.50-8	8	160	025-338-0	Michelin® Air™	TT/TL		13	30	Beech Baron 55,56 (MLG)
6.50-8	8	160	061-338-2	Michelin® Aviator®	TT		13	30	Pilatus PC7 (MLG)
6.50-8	6	160	025-337-0*	Michelin® Air™	TT/TL		13	30	Embraer EMB110 (NLG)
7.00-6	6	120	070-313-0	Michelin® Air™	TT		11	30	Beech 33, 35, 36 (MLG)
7.00-6	8	120	071-306-0	Michelin® Aviator®	TT		11	30	Piper PA23 (MLG)
7.00-6	6	120	071-313-0	Michelin® Aviator®	TT		11	30	Beech 33, 35, 36 (MLG)
7.00-6	8	120	070-306-0	Michelin® Air™	TT		11	30	Piper PA23 (MLG)
7.50-14	12	160	028-362-1	Michelin® Aviator®	TL		35	15	Gulfstream 1 (MLG)
7.50-14	8	160	021-360-0	Michelin® Aviator®	TL		28	15	Convair CV-340,440,540,580/600 (NLG)
8.00-6	6	120	071-371-0	Michelin® Aviator®	TT		13	20	Cessna 140, 185, 206, 207, 305, 01E, Socata Rallye
8.50-10	10	160	021-350-0	Michelin® Aviator®	TL		25	20	Gulfstream 690, 680T - Rockwell Int'l 685, 690, 695, 700, 840 (MLG) -Pilatus PC12 (MLG)
8.50-10	8	160	025-349-0	Michelin® Air™	TT/TL		25	20	Beech 18, 50, 65, 70, 80, 88, King Air 90 - Cessna 188, 208, 308, 406 - Gulfstream 500, 560, 680, 681, 685, 720 - Mitsubishi MU2 - Piaggio 149, 166, 136 - Rockwell Int'l 500, 560, 680, 520 (MLG)
8.50-10	10	160	025-350-0	Michelin® Air™	TT/TL		25	20	Gulfstream 690, 680T - Rockwell Int'l 685, 690, 695, 700, 840 (MLG)
8.50-10	8	160	021-349-0	Michelin® Aviator®	TT/TL		25	20	Beech 18, 50, 65, 70, 80, 88, King Air 90 - Cessna 188, 208, 308, 406 - Gulfstream 500, 560, 680, 681, 685, 720 - Mitsubishi MU2 - Piaggio 149, 166, 136 - Rockwell Int'l 500, 560, 680, 520 (MLG)
8.50-6	6	120	076-325-0	Michelin® Air™	TT/TL		14	20	High flotation, fixed gear
8.90-12.50	6	160	021-436-0	Michelin® Aviator®	TL		25	15	Bombardier DHC5, DHC6 (NLG)

* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.



MICHELIN® AIR™ & AVIATOR® GENERAL AVIATION BIAS AIRCRAFT TIRES

Size	Ply Rating	Speed (MPH)	Part Number	Brand	TL/TT	Special	Average Wt. (lbs.)	Pallet Ord. Qty	Applications
H22x8.25-10	12	190	026-618-0	Michelin® Air™	TL		20	24	Cessna CJ3 (MLG) - Hawker Premier 1 (MLG)
H22x8.25-10	14	190	026-617-0	Michelin® Air™	TL		22	24	Cessna Citation Encore, Encore+, 560 (MLG)
H27x8.5-14	16	210	027-697-0	Michelin® Air™	TL		40	20	Bombardier Challenger 604 (MLG)

MICHELIN® AIRSTOP® AIRCRAFT INNER TUBES

Size	Part Number	Description	Avg. Weight (lbs)
11.00-12	092-354-0*	TR-13 / Straight	6
12.50-16	097-368-0*	TR-101 / Bent 90 degrees	9
15x6.0-6	097-500-0	TR-20 / Straight	1
15x6.0-6 (H60 TW)	092-501-0	TR-67 / Bent 90 degrees	1
17.5x6.25-6	092-315-0	TR-20 / Straight	1
22x8.0-8	097-534-0	TR-15 / Straight	3
27"	097-150-0*	TR-25 / Straight	6
355x150-4	097-543-0	AC-5 / Bent 90 degrees	1
5.00-4	097-300-0*	TR-67 / Bent 90 degrees	1
5.00-5	092-308-0	TR-67A / Bent 90 degrees	1
6.00-6	092-315-0	TR-20 / Straight	1
6.50-10	092-344-0	TR-25 / Straight	2
6.50-8	092-337-0	TR-15 / Straight	2
7.00-6	092-318-0	TR-20 / Straight	2
7.00-8	092-337-0	TR-15 / Straight	2
7.50-10	097-373-0	TR-25 / Straight	3
7.50-14	097-360-0*	TR-176A / Bent 60 degrees	4
8.00-6	092-318-0	TR-20 / Straight	2
8.50-10	092-348-0	TR-25 / Straight	3
8.90-12.50	097-383-0*	TR-15 / Straight	5

* Limited production.

NOTE: All weights have been rounded down to the nearest 0.5 lb. for freight calculation purposes.

